

Package: glmtp (via r-universe)

November 2, 2024

Type Package

Title Generalized Linear Models with Truncated Lasso Penalty

Version 2.0.2

Date 2024-10-01

URL <https://yuyangyy.com/glmtp/>

Depends R (>= 3.5.0)

Imports foreach, doParallel, ggplot2

Suggests rmarkdown, knitr, testthat (>= 3.0.0)

Description Extremely efficient procedures for fitting regularization path with l0, l1, and truncated lasso penalty for linear regression and logistic regression models. This version is a completely new version compared with our previous version, which was mainly based on R. New core algorithms are developed and are now written in C++ and highly optimized.

Encoding UTF-8

License GPL-3

LazyData true

Author Chunlin Li [aut, cph]

(<<https://orcid.org/0000-0003-2989-8785>>), Yu Yang [aut, cre, cph] (<<https://orcid.org/0000-0001-7355-6702>>), Chong Wu [aut, cph] (<<https://orcid.org/0000-0002-8400-1785>>), Xiaotong Shen [ths, cph], Wei Pan [ths, cph]

Maintainer Yu Yang <yuyang.stat@gmail.com>

RoxygenNote 7.3.2

VignetteBuilder knitr

Config/testthat/edition 3

NeedsCompilation yes

Date/Publication 2024-10-02 20:20:14 UTC

Repository <https://yuyangstat.r-universe.dev>

RemoteUrl <https://github.com/cran/glmtp>

RemoteRef HEAD

RemoteSha 0cc1c1e6bc7ae7f2e4c58be0c8672fa0e1f854ef

Contents

bin_data	2
cv.glmtp	3
gau_data	5
gen.binomial.data	5
gen.gaussian.data	6
plot.cv.glmtp	7
plot.glmtp	9
predict.cv.glmtp	10
predict.glmtp	12
setup_lambda	14

Index **16**

bin_data	<i>A simulated binomial data set.</i>
----------	---------------------------------------

Description

A data set simulated for illustrating logistic regression models. Generated by `gen.binomial.data(n = 200, p = 20, seed = 2021)`.

Usage

```
data(bin_data)
```

Format

A list with three elements: design matrix `X`, response `y`, and the true coefficient vector `beta`.

X design matrix

y response

beta the true coefficient vector

Examples

```
data("bin_data")
cv.fit <- cv.glmtp(bin_data$X, bin_data$y, family = "binomial", penalty = "l1")
plot(cv.fit)
```

cv.glmtp

*Cross-validation for glmtp***Description**

Performs k-fold cross-validation for l0, l1, or TLP-penalized regression models over a grid of values for the regularization parameter lambda (if penalty="l0") or kappa (if penalty="l0").

Usage

```
cv.glmtp(X, y, ..., seed = NULL, nfolds = 10, obs.fold = NULL, ncores = 1)
```

Arguments

X	input matrix, of dimension nobs x nvars, as in glmtp.
y	response, of length nobs, as in glmtp.
...	Other arguments that can be passed to glmtp.
seed	the seed for reproduction purposes
nfolds	number of folds; default is 10. The smallest value allowable is nfolds=3
obs.fold	an optional vector of values between 1 and nfolds identifying what fold each observation is in. If supplied, nfolds can be missing.
ncores	number of cores utilized; default is 1. If greater than 1, then doParallel::foreach will be used to fit each fold; if equal to 1, then for loop will be used to fit each fold. Users don't have to register parallel clusters outside.

Details

The function calls glmtp nfolds+1 times; the first call to get the lambda or kappa sequence, and then the rest to compute the fit with each of the folds omitted. The cross-validation error is based on deviance (check here for more details). The error is accumulated over the folds, and the average error and standard deviation is computed.

When family = "binomial", the fold assignment (if not provided by the user) is generated in a stratified manner, where the ratio of 0/1 outcomes are the same for each fold.

Value

an object of class "cv.glmtp" is returned, which is a list with the ingredients of the cross-validation fit.

call	the function call
cv.mean	The mean cross-validated error - a vector of length length(kappa) if penalty = "l0" and length{lambda} otherwise.
cv.se	estimate of standard error of cv.mean.
fit	a fitted glmtp object for the full data.

idx.min	the index of the lambda or kappa sequence that corresponding to the smallest cv mean error.
kappa	the values of kappa used in the fits, available when penalty = 'l0'.
kappa.min	the value of kappa that gives the minimum cv.mean, available when penalty = 'l0'.
lambda	the values of lambda used in the fits.
lambda.min	value of lambda that gives minimum cv.mean, available when penalty is 'l1' or 'tlp'.
null.dev	null deviance of the model.
obs.fold	the fold id for each observation used in the CV.

Author(s)

Chunlin Li, Yu Yang, Chong Wu
 Maintainer: Yu Yang <yang6367@umn.edu>

References

Shen, X., Pan, W., & Zhu, Y. (2012). *Likelihood-based selection and sharp parameter estimation*. *Journal of the American Statistical Association*, 107(497), 223-232.

Shen, X., Pan, W., Zhu, Y., & Zhou, H. (2013). *On constrained and regularized high-dimensional regression*. *Annals of the Institute of Statistical Mathematics*, 65(5), 807-832.

Li, C., Shen, X., & Pan, W. (2021). *Inference for a Large Directed Graphical Model with Interventions*. *arXiv preprint arXiv:2110.03805*.

Yang, Y., & Zou, H. (2014). *A coordinate majorization descent algorithm for l1 penalized learning*. *Journal of Statistical Computation and Simulation*, 84(1), 84-95.

Two R package Github: *ncvreg* and *glmnet*.

See Also

glm1p and plot, predict, and coef methods for "cv.glm1p" objects.

Examples

```
# Gaussian
X <- matrix(rnorm(100 * 20), 100, 20)
y <- rnorm(100)
cv.fit <- cv.glm1p(X, y, family = "gaussian", penalty = "l1", seed=2021)

# Binomial
X <- matrix(rnorm(100 * 20), 100, 20)
y <- sample(c(0,1), 100, replace = TRUE)
cv.fit <- cv.glm1p(X, y, family = "binomial", penalty = "l1", seed=2021)
```

gau_data	<i>A simulated gaussian data set.</i>
----------	---------------------------------------

Description

A data set simulated for illustrating linear regression models. Generated by `gen.gaussian.data(n = 200, p = 20, seed = 2021)`.

Usage

```
data(gau_data)
```

Format

A list with five elements: design matrix `X`, response `y`, correlation structure of the covariates `Sigma`, true beta `beta`, and the noise level `sigma`.

X design matrix

y response

beta true beta values

sigma the noise level

Examples

```
data("gau_data")
cv.fit <- cv.glmTlp(gau_data$X, gau_data$y, family = "gaussian", penalty = "Tlp")
plot(cv.fit)
```

gen.binomial.data	<i>Simulate a binomial data set</i>
-------------------	-------------------------------------

Description

Simulate a data set with binary response following the logistic regression model.

Usage

```
gen.binomial.data(n, p, rho = 0, kappa = 5, beta.type = 1, seed = 2021)
```

Arguments

n	Sample size.
p	Number of covariates.
rho	The parameter defining the AR(1) correlation matrix.
kappa	The number of nonzero coefficients.
beta.type	Numeric indicator for choosing the beta type. For beta.type = 1, the true coefficient vector has kappa components being 1, roughly equally distributed between 1 to p. For beta.type = 2, the first kappa values are 1, and the rest are 0. For beta.type = 3, the first kappa values are equally-spaced values from 10 to 0.5, and the rest are 0. For beta.type = 4, the first kappa values are the first kappa values in c(-10, -6, -2, 2, 6, 10), and the rest are 0. For beta.type = 5, the first kappa values are 1, and the rest decay exponentially to 0 with base 0.5.
seed	The seed for reproducibility. Default is 2021.

Value

	A list containing the simulated data.
X	the covariate matrix, of dimension n x p.
y	the response, of length n.
beta	the true coefficients, of length p.

Examples

```
bin_data <- gen.binomial.data(n = 200, p = 20, seed = 2021)
head(bin_data$X)
head(bin_data$y)
head(bin_data$beta)
```

```
gen.gaussian.data      Simulate a gaussian data set
```

Description

Simulate a data set with gaussian response following the linear regression model.

Usage

```
gen.gaussian.data(
  n,
  p,
  rho = 0,
  kappa = 5,
  beta.type = 1,
  snr = 1,
  seed = 2021
)
```

Arguments

n	Sample size.
p	Number of covariates.
rho	The parameter defining the AR(1) correlation matrix.
kappa	The number of nonzero coefficients.
beta.type	Numeric indicator for choosing the beta type. For beta.type = 1, the true coefficient vector has kappa components being 1, roughly equally distributed between 1 to p. For beta.type = 2, the first kappa values are 1, and the rest are 0. For beta.type = 3, the first kappa values are equally-spaced values from 10 to 0.5, and the rest are 0. For beta.type = 4, the first kappa values are the first kappa values in c(-10, -6, -2, 2, 6, 10), and the rest are 0. For beta.type = 5, the first kappa values are 1, and the rest decay exponentially to 0 with base 0.5.
snr	Signal-to-noise ratio. Default is 1.
seed	The seed for reproducibility. Default is 2021.

Value

A list containing the simulated data.

X	the covariate matrix, of dimension n x p.
y	the response, of length n.
beta	the true coefficients, of length p.
sigma	the standard error of the noise.

Examples

```
gau_data <- gen.gaussian.data(n = 200, p = 20, seed = 2021)
head(gau_data$X)
head(gau_data$y)
head(gau_data$beta)
gau_data$sigma
```

plot.cv.glmtp

Plot Method for a "cv.glmtp" Object

Description

Plots the cross-validation curve, and the upper and lower standard deviation curves, as a function of the lambda or kappa values.

Usage

```
## S3 method for class 'cv.glmtp'
plot(x, vertical.line = TRUE, ...)
```

Arguments

x	Fitted cv.glm1p object
vertical.line	Logical. Whether or not include a vertical line indicating the position of the index which gives the smallest CV error.
...	Additional arguments.

Details

The generated plot is a ggplot object, and therefore, the users are able to customize the plots following the ggplot2 syntax.

Author(s)

Chunlin Li, Yu Yang, Chong Wu
 Maintainer: Yu Yang <yang6367@umn.edu>

References

Shen, X., Pan, W., & Zhu, Y. (2012). *Likelihood-based selection and sharp parameter estimation*. *Journal of the American Statistical Association*, 107(497), 223-232.

Shen, X., Pan, W., Zhu, Y., & Zhou, H. (2013). *On constrained and regularized high-dimensional regression*. *Annals of the Institute of Statistical Mathematics*, 65(5), 807-832.

Li, C., Shen, X., & Pan, W. (2021). *Inference for a Large Directed Graphical Model with Interventions*. *arXiv preprint arXiv:2110.03805*.

Yang, Y., & Zou, H. (2014). *A coordinate majorization descent algorithm for l_1 penalized learning*. *Journal of Statistical Computation and Simulation*, 84(1), 84-95.

Two R package Github: *ncvreg* and *glmnet*.

Examples

```
X <- matrix(rnorm(100 * 20), 100, 20)
y <- rnorm(100)
cv.fit <- cv.glm1p(X, y, family = "gaussian", penalty = "t1p")
plot(cv.fit)
plot(cv.fit, vertical.line = FALSE)
cv.fit2 <- cv.glm1p(X, y, family = "gaussian", penalty = "l0")
plot(cv.fit2)
plot(cv.fit2, vertical.line = FALSE)

data("gau_data")
cv.fit <- cv.glm1p(gau_data$X, gau_data$y, family = "gaussian", penalty = "t1p")
plot(cv.fit)

data("bin_data")
cv.fit <- cv.glm1p(bin_data$X, bin_data$y, family = "binomial", penalty = "l1")
plot(cv.fit)
```

plot.glmtp

Plot Method for a "glmtp" Object

Description

Generates a solution path plot for a fitted "glmtp" object.

Usage

```
## S3 method for class 'glmtp'
plot(
  x,
  xvar = c("lambda", "kappa", "deviance", "l1_norm", "log_lambda"),
  xlab = iname,
  ylab = "Coefficients",
  title = "Solution Path",
  label = FALSE,
  label.size = 3,
  ...
)
```

Arguments

x	Fitted glmtp object.
xvar	The x-axis variable to plot against, including "lambda", "kappa", "deviance", "l1_norm", and "log_lambda".
xlab	The x-axis label of the plot, default is "Lambda", "Kappa", "Fraction of Explained Deviance", "L1 Norm", and "Log Lambda".
ylab	The y-axis label of the plot, default is "Coefficients".
title	The main title of the plot, default is "Solution Path".
label	Logical, whether or not attach the labels for the non-zero coefficients, default is FALSE.
label.size	The text size of the labels, default is 3.
...	Additional arguments.

Details

The generated plot is a ggplot object, and therefore, the users are able to customize the plots following the ggplot2 syntax.

Value

A ggplot object.

Author(s)

Chunlin Li, Yu Yang, Chong Wu
 Maintainer: Yu Yang <yang6367@umn.edu>

References

Shen, X., Pan, W., & Zhu, Y. (2012). *Likelihood-based selection and sharp parameter estimation*. *Journal of the American Statistical Association*, 107(497), 223-232.
 Shen, X., Pan, W., Zhu, Y., & Zhou, H. (2013). *On constrained and regularized high-dimensional regression*. *Annals of the Institute of Statistical Mathematics*, 65(5), 807-832.
 Li, C., Shen, X., & Pan, W. (2021). *Inference for a Large Directed Graphical Model with Interventions*. *arXiv preprint arXiv:2110.03805*.
 Yang, Y., & Zou, H. (2014). *A coordinate majorization descent algorithm for l1 penalized learning*. *Journal of Statistical Computation and Simulation*, 84(1), 84-95.
 Two R package Github: *ncvreg* and *glmnet*.

See Also

print, predict, coef and plot methods, and the cv.glmtp function.

Examples

```
X <- matrix(rnorm(100 * 20), 100, 20)
y <- rnorm(100)
fit <- glmtp(X, y, family = "gaussian", penalty = "l1")
plot(fit, xvar = "lambda")
plot(fit, xvar = "log_lambda")
plot(fit, xvar = "l1_norm")
plot(fit, xvar = "log_lambda", label = TRUE)
fit2 <- glmtp(X, y, family = "gaussian", penalty = "l0")
plot(fit2, xvar = "kappa", label = TRUE)
```

predict.cv.glmtp

Predict Method for a "cv.glmtp" Object.

Description

Makes predictions for a cross-validated glmtp model, using the stored "glmtp" object, and the optimal value chosen for lambda.

Usage

```
## S3 method for class 'cv.glmtp'
predict(
  object,
  X,
  type = c("link", "response", "class", "coefficients", "numnzs", "varnzs"),
```

```

    lambda = NULL,
    kappa = NULL,
    which = object$idx.min,
    ...
)

## S3 method for class 'cv.glmtp'
coef(object, lambda = NULL, kappa = NULL, which = object$idx.min, ...)

```

Arguments

object	Fitted "cv.glmtp" object.
X	X Matrix of new values for X at which predictions are to be made. Must be a matrix.
type	Type of prediction to be made. For "gaussian" models, type "link" and "response" are equivalent and both give the fitted values. For "binomial" models, type "link" gives the linear predictors and type "response" gives the fitted probabilities. Type "coefficients" computes the coefficients at the provided values of lambda or kappa. Note that for "binomial" models, results are returned only for the class corresponding to the second level of the factor response. Type "class" applies only to "binomial" models, and gives the class label corresponding to the maximum probability. Type "numnz" gives the total number of non-zero coefficients for each value of lambda or kappa. Type "varnz" gives a list of indices of the nonzero coefficients for each value of lambda or kappa.
lambda	Value of the penalty parameter lambda at which predictions are to be made. Default is NULL.
kappa	Value of the penalty parameter kappa at which predictions are to be made. Default is NULL.
which	Index of the penalty parameter lambda or kappa sequence at which predictions are to be made. Default is the <code>idx.min</code> stored in the <code>cv.glmtp</code> object.
...	Additional arguments.

Value

The object returned depends on type.

Author(s)

Chunlin Li, Yu Yang, Chong Wu
 Maintainer: Yu Yang <yang6367@umn.edu>

References

Shen, X., Pan, W., & Zhu, Y. (2012). *Likelihood-based selection and sharp parameter estimation*. *Journal of the American Statistical Association*, 107(497), 223-232.
 Shen, X., Pan, W., Zhu, Y., & Zhou, H. (2013). *On constrained and regularized high-dimensional regression*. *Annals of the Institute of Statistical Mathematics*, 65(5), 807-832.

Li, C., Shen, X., & Pan, W. (2021). *Inference for a Large Directed Graphical Model with Interventions*. *arXiv preprint arXiv:2110.03805*.

Yang, Y., & Zou, H. (2014). *A coordinate majorization descent algorithm for l1 penalized learning*. *Journal of Statistical Computation and Simulation*, 84(1), 84-95.

Two R package Github: *ncvreg* and *glmnet*.

See Also

print, predict, coef and plot methods, and the cv.glmtp function.

Examples

```
X <- matrix(rnorm(100 * 20), 100, 20)
y <- rnorm(100)
cv.fit <- cv.glmtp(X, y, family = "gaussian", penalty = "l1")
predict(cv.fit, X = X[1:5, ])
coef(cv.fit)
predict(cv.fit, X = X[1:5, ], lambda = 0.1)
```

predict.glmtp

Predict Method for a "glmtp" Object

Description

Predicts fitted values, logits, coefficients and more from a fitted glmtp object.

Usage

```
## S3 method for class 'glmtp'
predict(
  object,
  X,
  type = c("link", "response", "class", "coefficients", "numnz", "varnz"),
  lambda = NULL,
  kappa = NULL,
  which = 1:(ifelse(object$penalty == "l0", length(object$kappa), length(object$lambda))),
  ...
)

## S3 method for class 'glmtp'
coef(
  object,
  lambda = NULL,
  kappa = NULL,
  which = 1:(ifelse(object$penalty == "l0", length(object$kappa), length(object$lambda))),
  drop = TRUE,
  ...
)
```

Arguments

object	Fitted glmtp model object.
X	Matrix of new values for X at which predictions are to be made. Must be a matrix. This argument will not used for type=c("coefficients", "numnz", "varnz").
type	Type of prediction to be made. For "gaussian" models, type "link" and "response" are equivalent and both give the fitted values. For "binomial" models, type "link" gives the linear predictors and type "response" gives the fitted probabilities. Type "coefficients" computes the coefficients at the provided values of lambda or kappa. Note that for "binomial" models, results are returned only for the class corresponding to the second level of the factor response. Type "class" applies only to "binomial" models, and gives the class label corresponding to the maximum probability. Type "numnz" gives the total number of non-zero coefficients for each value of lambda or kappa. Type "varnz" gives a list of indices of the nonzero coefficients for each value of lambda or kappa.
lambda	Value of the penalty parameter lambda at which predictions are to be made. Default is NULL.
kappa	Value of the penalty parameter kappa at which predictions are to be made. Default is NULL.
which	Index of the penalty parameter lambda or kappa sequence at which predictions are to be made. Default are the indices for the entire penalty parameter sequence.
...	Additional arguments.
drop	Whether or not keep the dimension that is of length 1.

Details

coef(...) is equivalent to predict(type="coefficients", ...)

Value

The object returned depends on type.

Author(s)

Chunlin Li, Yu Yang, Chong Wu
 Maintainer: Yu Yang <yang6367@umn.edu>

References

- Shen, X., Pan, W., & Zhu, Y. (2012). *Likelihood-based selection and sharp parameter estimation*. *Journal of the American Statistical Association*, 107(497), 223-232.
- Shen, X., Pan, W., Zhu, Y., & Zhou, H. (2013). *On constrained and regularized high-dimensional regression*. *Annals of the Institute of Statistical Mathematics*, 65(5), 807-832.
- Li, C., Shen, X., & Pan, W. (2021). *Inference for a Large Directed Graphical Model with Interventions*. *arXiv preprint arXiv:2110.03805*.
- Yang, Y., & Zou, H. (2014). *A coordinate majorization descent algorithm for l1 penalized learning*.

Journal of Statistical Computation and Simulation, 84(1), 84-95.
Two R package Github: *ncvreg* and *glmnet*.

See Also

print, predict, coef and plot methods, and the cv.glm1p function.

Examples

```
# Gaussian
X <- matrix(rnorm(100 * 20), 100, 20)
y <- rnorm(100)
fit <- glm1p(X, y, family = "gaussian", penalty = "l1")
predict(fit, X = X[1:5, ])
coef(fit)
predict(fit, X = X[1:5, ], lambda = 0.1)

# Binomial
X <- matrix(rnorm(100 * 20), 100, 20)
y <- sample(c(0,1), 100, replace = TRUE)
fit <- glm1p(X, y, family = "binomial", penalty = "l1")
coef(fit)
predict(fit, X = X[1:5, ], type = "response")
predict(fit, X = X[1:5, ], type = "response", lambda = 0.01)
predict(fit, X = X[1:5, ], type = "class", lambda = 0.01)
predict(fit, X = X[1:5, ], type = "numnz", lambda = 0.01)
```

setup_lambda

Generate lambda sequence.

Description

Generate lambda sequence.

Usage

```
setup_lambda(X, y, weights, lambda.min.ratio, nlambda)
```

Arguments

X	Input matrix, of dimension nobs x nvars; each row is an observation vector.
y	Response variable, of length nobs. For family="gaussian", it should be quantitative; for family="binomial", it should be either a factor with two levels or a binary vector.
weights	Observation weights.

`lambda.min.ratio`

The smallest value for `lambda`, as a fraction of `lambda.max`, the smallest value for which all coefficients are zero. The default depends on the sample size `nobs` relative to the number of variables `nvars`.

`nlambda`

The number of `lambda` values.

Index

* datasets

bin_data, 2

gau_data, 5

* models

cv.glmtp, 3

plot.cv.glmtp, 7

plot.glmtp, 9

predict.cv.glmtp, 10

predict.glmtp, 12

* plot

plot.cv.glmtp, 7

plot.glmtp, 9

* regression

cv.glmtp, 3

predict.cv.glmtp, 10

predict.glmtp, 12

bin_data, 2

coef.cv.glmtp(predict.cv.glmtp), 10

coef.glmtp(predict.glmtp), 12

cv.glmtp, 3

gau_data, 5

gen.binomial.data, 5

gen.gaussian.data, 6

plot.cv.glmtp, 7

plot.glmtp, 9

predict.cv.glmtp, 10

predict.glmtp, 12

setup_lambda, 14